
References

Aiello, L. (1994). Diagnosis, management, and treatment of nonproliferative diabetic retinopathy and macular edema. In Albert, D., & Jakobiec, F. (Ed.), *Principles and practice of ophthalmology* (pp. 747-60). Philadelphia: W.B. Saunders Company.

ANSI (1993). *American National Standard for the Safe Use of Lasers* New York. Orlando, FL.: American National Standards Institute. Laser Institute of America.

Applegate, R. (1992). Optical and Clinical Issues in the Measurement of Corneal Topography. *Ophthalm and Vis Optics Tech Digest (OSA)*, **3**, 19-23.

Applegate, R. (1994). Comment: Inherent Error in Corneal Topography/Roberts. *J Refract Corneal Surg*, **10**, 113-114.

Applegate, R., Hilmantel, G. & Howland, H. (1996). Corneal Aberrations Increase with the Magnitude of Radial Keratotomy Refractive Correction. *Optom Vis Sci*, **73**, 585-9.

Applegate, R. & Howland, H. (1995). Noninvasive measurement of corneal topography. *IEEE Eng Med Biol*, **1995**, 30-42.

Applegate, R., Howland, H., Buettner, J., Cottingham, A., Sharp, R. & Yee, R. (1994a). Changes in the Aberration Structure of the RK Cornea from Videokeratoscopic Measurements. *Invest Ophthalmol Vis Sci*, **35**, 1740.

Applegate, R., Howland, H., Buettner, J., Cottingham, A., Sharp, R. & Yee, R. (1995a). Radial Keratotomy (RK), Corneal Aberrations and Visual Performance. *Invest Ophthalmol Vis Sci*, **36**, S309.

Applegate, R., Howland, H., Buettner, J., Cottingham, A., Sharp, R. & Yee, R. (1994b). Corneal Aberrations Before and After Radial Keratotomy (RK) Calculated From Videokeratometric Measurements. *Vision Science and its*

Applications, 1994 Technical Digest Series, **2**, 58-61.

Applegate, R., Howland, H., Sharp, R., Cottingham, A. & Yee, R. (1998). Corneal Aberrations and Visual Performance After Radial Keratotomy. *J Refr Surg*, **14**, 397-407.

Applegate, R., Nunez, R., Buettner, J. & Howland, H. (1995b). How Accurately Can Videokeratographic Systems Measure Surface Elevation? *Optom Vis Sci*, **72**, 785-92.

Applegate, R., Thibos, L., Bradley, A., Marcos, S., Roorda, A., Salmon, T. & Atchison, D. (2000 (In press)). Reference axis selection: A subcommittee report of the OSA working group to establish standards for the measurement and reporting of the optical aberration of the eye. *Visual Science and Its Applications, Technical Digest Series*, **2000**—in press.

Arffa, R., Warnicki, J. & Rehkopf, B. (1989). Corneal topography using rasterstereography. *Refr Corneal Surg*, **5**, 414-29.

Artal, P. & Guirao, A. (1998). Contributions of the cornea and lens to the aberrations of the human eye. *Optics Letters*, **23**, 1713-1715.

Artal, P., Ignacio, I. & Lopez-Gil, N. (1995a). Double-pass measurements of the retinal-image quality with unequal entrance and exit pupil sizes and the reversability of the eye's optical system. *J Opt Soc Am A*, **12**, 2358-66.

Artal, P., Marcos, S., Navarro, R. & Williams, D. R. (1995b). Odd aberrations and double-pass measurements of retinal image quality. *J Opt Soc Am A*, **12**, 195-201.

Atchison, D., Collins, M., Wildsoet, C., Christensen, J. & Waterworth, M. (1995). Measurement of monochromatic ocular aberrations of human eyes as a function of accommodation by the Howland Aberroscope technique. *Vis Res*, **35**, 313-23.

Atchison, D. A. (1984). Visual optics in man. *Aust J Optom*, **67**, 141-50.

Baker, T. (1943). Ray Tracing Through Non-Spherical Surfaces. *Proc Phys Soc*, **55**, 361-364.

Barsky, B., Klein, S. & Garcia, D. (1997). Gaussian Power with Cylinder Vector Field Representation for Corneal

- Topography Maps. *Optom Vis Sci*, **74**, 917-925.
- Belin, M., Cambier, J., Nabors, J. & Ratliff, C. (1995). PAR Corneal Topography System (PAR CTS): The Clinical Application of Close-Range Photogrammetry. *Optom Vis Sci*, **72**, 828-37.
- Benjamin, W. & Rosenblum, W. (1992). Radii of Curvature and Sagittal Depths of Conic Sections. *Int Cont Lens Clin*, **19**, 76-83.
- Bennett, A. (1988). Aspherical and continuous curve contact lenses. *Optom Today*, **28**, 238-242.
- Bennett, A. & Rabbetts, R. (1989a). *Clinical Visual Optics* (2nd ed.) London: Butterworths.
- Bores, L. (1997). Corneal topography central home page. Kerametrix Corporation web page, www.getnet.com/~labores/topotoc.html:
- Born, M. & Wolf, E. (1980). *Principles of Optics* (6th (corrected) ed.) Oxford: Pergamon Press.
- Bour, L. (1980). MTF of the defocused optical system of the human eye for incoherent monochromatic light. *J Opt Soc Am*, **70**, 321-328.
- Bullimore, M., Olson, M. & Maloney, R. (1999). Visual Performance After Photorefractive Keratectomy With a 6-mm Ablation Zone. *Am J Ophthalmol*, **128**, 1-7.
- Burek, H. & Douthwaite, W. A. (1993). Mathematical models of the general corneal surface. *Ophthalm. Physiol. Opt.*, **13**, 68-72.
- Camp, J. J., Maquire, L. J., Cameron, B. M. & Robb, R. A. (1990). A computer model for the evaluation of the effect of corneal topography using rasterstereography. *Refract Corneal Surg*, **5**, 414-417.
- Campbell, F. W. & Gubisch, R. W. (1966). Optical quality of the human eye. *J Physiol*, **186**, 558-78.
- Campbell, M., Bobier, W. & Roorda, A. (1995). Effect of monochromatic aberrations on photorefractive patterns. *J Opt Soc Am A*, **12**, 1637-46.

- Carney, L. & Henderson, B. (1993). Corneal Topography as a Function of Refractive Error. *Invest Ophthalmol Vis Sci*, **35**, 1217.
- Carney, L., Mainstone, J. & Henderson, B. (1997). Corneal Topography and Myopia. *Invest Ophthalmol Vis Sci*, **38**, 311-20.
- Charman, W. (1991). Wavefront Aberration of the Eye: A Review. *Optom Vis Sci*, **68**, 574-83.
- Churms, P. (1981). The sagitta of a toroidal surface in an oblique meridian. *Ophthalm Physiol Opt*, **1**, 29-38.
- Clark, B. (1973). Conventional Kertatoscopy - A Critical Review. *Aust J Optom*, **56**, 140-155.
- Cohen, K. L., Tripoli, N. K., Holmgren, D. E. & Coggins, J. M. (1995). Assessment of the power and height of radial aspheres reported by a computer-assisted keratoscope. *Am J Ophthalmol*, **119**, 723-732.
- Collins, M. J., Wildsoet, C. F. & Atchison, D. A. (1995). Monochromatic aberrations and myopia. *Vision Res*, **35**, 1157-1163.
- Doss, J. D., Hutson, R. L., Rowsey, J. J. & Brown, D. R. (1981). Method for Calculation of Corneal Profile and Power Distribution. *Arch Ophthalmol*, **99**, 1261-1265.
- Douthwaite, W. A. (1995). EyeSys corneal topography measurement applied to calibrated ellipsoidal convex surfaces. *Br J Ophthalmol*, **79**, 797-801.
- Douthwaite, W. A., Pardhan, S. & Burek, H. (1996). Extent and effect of surface tilt on the data display of the EyeSys videokeratoscope. *Br J Ophthalmol*, **80**, 986-993.
- Eghbali, F., Yeung, K. & Maloney, R. (1995). Topographic Determination of Corneal Asphericity and Its Lack of Effect on the Refractive Outcome of Radial Keratotomy. *Am J Ophthalmol*, **119**, 275-80.
- El Hage, S. & Berny, F. (1973). Contribution of the crystalline lens to the spherical aberration of the eye. *J Opt Soc Am*, **63**, 205-211.
- Emsley, H. (1946). Keratometry. In *Visual Optics* (pp. 298-324). London: Hatton Press Ltd.

- Freeman, M. (1990). *Optics* (10th ed.) London: Butterworths.
- Gauthier, C., Holden, B., Epstein, D., Tengroth, B., P, F. & Hamberg-Nyström, H. (1998). Assessment of High and Low Contrast Visual Acuity after Photorefractive Keratectomy for Myopia. *Optom Vis Sci*, **75**, 585-590.
- Ghaith, A. A., Daniel, J., Stulting, R. D., Thompson, K. P. & Lynn, M. (1998). Contrast sensitivity and glare disability after radial keratotomy and photorefractive keratectomy. *Archives of Ophthalmology*, **116**, 12-18.
- Goodman, J. (1996). *Introduction to Fourier Optics* (2nd ed.) New York: McGraw-Hill.
- Gormley, D., Gersten, M., Koplín, R. & Lubkin, V. (1988). Corneal Modeling. *Cornea*, **7**, 30-35.
- Gorrand, J. M. & Delori, F. (1995). A reflectometric technique for assessing photoreceptor alignment. *Vision Research*, **35**, 999-1010.
- Greivenkamp, J., Mellinger, M., Snyder, R., Schwiegerling, J., Lowman, A. & Miller, J. (1996). Comparison of Three Videokeratoscopes in Measurement of Toric Test Surfaces. *J Refr Surg*, **12**, 229-39.
- Grosvenor, T. & Ratnakaram, R. (1990). Is the relationship between keratometric astigmatism and refractive astigmatism linear? *Optom Vis Sci*, **67**, 606-609.
- Guirao, A., Gonzalez, C., Redondo, M., Geraghty, E., Norrby, S. & Artal, P. (1999). Average optical performance of the human eye as a function of age in a normal population. *Investigative Ophthalmology & Visual Science*, **40**, 203-213.
- Gullstrand, A. (1924). The Cornea. In Southall, J. (Ed.), *Helmholtz's Treatise on Physiological Optics* New York: Opt Soc Am.
- Gullstrand, A. (1966). Photographic-ophthalmometric and Clinical Investigations of Corneal Refraction. *Am J Optom Arch Am Acad Optom*, **43**, 143-214.
- Halliday, B. (1995). Refractive and visual results and patient satisfaction after excimer laser photorefractive keratectomy for myopia. *Brit J Ophthalmol*, **79**, 881-7.

- Halstead, M., Barsky, B., Klein, S. & Mandell, R. (1995). A Spline Surface Algorithm for Reconstruction of Corneal Topography from a Videokeratographic Reflection Pattern. *Optom Vis Sci*, **72**, 821-7.
- Hannush, S., Crawford, S., Waring, G., Gemmill, M., Lynn, M. & Nizam, A. (1989). Accuracy and Precision of Keratometry, Photokeratoscopy, and Corneal Modeling on Calibrated Steel Balls. *Arch Ophthalmol*, **107**, 1235-39.
- He, J., Marcos, S., Webb, R. & Burns, S. (1998). Measurement of the wave-front aberration of the eye by a fast psychophysical procedure. *J Opt Soc Am A*, **15**, 2449-2456.
- Heath, G., Gerstman, D., Wheeler, W., Soni, P. & Horner, D. (1991). Reliability and validity of videokeratoscopic measurements. *Optom Vis Sci*, **68**, 946-9.
- Hemenger, R., Garner, L. & Ooi, C. (1995). Change with age of the refractive index gradient of the human ocular lens. *Invest Ophthalmol Vis Sci*, **36**, 703-707.
- Hemenger, R., Tomlinson, A. & Caroline, P. (1997). Role of Spherical Aberration in Contrast Sensitivity Loss with Radial Keratotomy. *Invest Ophthalmol Vis Sci*, **30**, 1997-2001.
- Hemenger, R., Tomlinson, A. & Oliver, K. (1994). Corneal optics from videokeratographs. *Ophthalm Physiol Opt*, **15**, 63-68.
- Hilmantel, G., Blunt, R., Applegate, R. & Howland, H. (1997). Accuracy with which the TMS-1 Can Measure Elevations of Asymmetric Surfaces. *Invest Ophthalmol Vis Sci*, **38**, S850.
- Hilmantel, G., Blunt, R., Garret, B., Howland, H. & Applegate, R. (1999). Accuracy of the Tomey Topographic Modeling System in Measuring Surface Elevations of Asymmetric Objects. *Optom Vis Sci*, **76**, 108-114.
- Holladay, J. (1995). The Holladay Diagnostic Summary. In Gills, J., Sanders, D., Thonton, S., Martin, R., Gayton, J., Holladay, J., & Van Der Karr, M. (Ed.), *Corneal Topography - The State of the Art* (pp. 309-23). Thorofare, NJ: SLACK Incorporated.
- Holladay, J. & Waring, G. (1992). Optics and Topography of Radial Keratotomy. In Waring, G. (Ed.), *Refractive Keratotomy for myopia and astigmatism* (pp. 37-139). St. Louis: Mosby Year Book.

- Hopkins, H. (1950). Wave and Ray Aberrations. In *Wave Theory of Aberrations* (pp. 1-20). London: Oxford University Press.
- Horner, D. & Salmon, T. (1998). Accuracy of the EyeSys 2000 in Measuring Surface Elevation of Calibrated Aspheres. *Int Cont Lens Clin*, **25**, 171-177.
- Horner, D., Salmon, T. & Soni, P. (1998). Chapter 17: Corneal Topography. In Borish, I., & Benjamin, W. (Ed.), *Borish's Clinical Refraction* (pp. 524-558). Philadelphia: WB Saunders.
- Howland, H., Buettner, J. & Applegate, R. (1994). Computation of the Shapes of Normal Corneas and their Monochromatic Aberrations from Videokeratometric Measurements. *Vision Science and its Applications, 1994 Technical Digest Series*, **2**, 54-7.
- Howland, H. C. & Howland, B. (1977). A subjective method for the measurement of monochromatic aberrations of the eye. *J Opt Soc Am*, **67**, 1508-18.
- Iglesias, I., Berrio, E. & Artal, P. (1998). Estimates of the ocular wave aberration from pairs of double-pass retinal images. *J Opt Soc Am A*, **15**, 2466-2476.
- Iglesias, I., Lopez-Gil, N. & Artal, P. (1998). Reconstruction of the point-spread function of the human eye from two double-pass retinal images by phase-retrieval algorithms. *J Opt Soc Am A*, **15**, 326-339.
- Javal, E. (1890). *Mémoires d'ophtalmométrie* Paris: G Masson.
- Kiely, P., Smith, G. & Carney, L. (1982). The mean shape of the human cornea. *Optica Acta*, **29**, 1027-40.
- Kiely, PM., Smith, G. & Carney, L. (1984). Meridional variations of corneal shape. *Am J Optom Physiol Opt*, **61**, 619-626.
- Kinyoun, J., Barton, F., Fisher, M., Hubbard, L., Aiello, L. & Ferris, F. (1989). Detection of diabetic macular edema. *Ophthalmol*, **96**, 746-51.
- Klein, S. (1997a). Axial Curvature and the Skew Ray Error in Corneal Topography. *Optom Vis Sci*, **74**, 931-944.

- Klein, S. (1997b). Corneal Topography Reconstruction Algorithm that Avoids the Skew Ray Ambiguity and the Skew Ray Error. *Optom Vis Sci*, **74**, 945-962.
- Klein, S. (1997c). The Skew Ray Problem in Corneal Topography: Errors and Ambiguities. *Invest Ophthalmol Vis Sci*, **38**, S697.
- Klein, S. (1998). Optimal corneal ablation for eyes with arbitrary Hartmann-Shack aberrations. *J Opt Soc Am A*, **15**, 2580-2588.
- Klein, S. & Mandell, R. (1995). Axial and instantaneous power conversion in corneal topography. *Invest Ophthalmol Vis Sci*, **36**, 2155-59.
- Klein, S. A. (1992). A corneal topography algorithm that produces continuous curvature. *Optom Vis Sci*, **69**, 829-34.
- Klyce, S. D. (1984). Computer-Assisted Corneal Topography. *Invest Ophth & Vis Sci*, **25**, 1426-1435.
- Klyce, S. D. & Wilson, S. E. (1989). Methods of analysis of corneal topography. *Refract Corneal Surg*, **5**, 368-371.
- Koch, D. & Haft, E. (1993). Introduction to Corneal Topography. In Sanders, D. (Ed.), *An Atlas of Corneal Topography* (pp. 1-30). Thorofare, NJ: SLACK Incorporated.
- Lam, A. & Douthwaite, W. (1994). Derivation of corneal flattening factor, p-value. *Ophthal Physiol Opt*, **14**, 423-427.
- Lappin, P. (1968). Retinal Irradiances from the He-Ne CW Laser. *Am J Optom Arch Am Acad Optom*, **45**, 279-291.
- Lappin, P. (1970). Ocular Damage Thresholds for the Helium-Neon Laser. *Arch Environ Health*, **20**, 177-183.
- Last, R. (1968). *Anatomy of the Eye and Orbit* Philadelphia: WB Saunders Co.

- Liang, J. (1991). *A new method to precisely measure the wave aberrations of the human eye with a Hartmann-Shack-Wavefront-Sensor*. Ph.D. Thesis, University of Heidelberg.
- Liang, J., Grimm, B., Goelz, S. & Bille, J. F. (1994). Objective measurement of wave aberrations of the human eye with the use of a Hartmann-Shack wave-front sensor. *J Opt Soc Am A*, **11**, 1949-57.
- Liang, J. & Williams, D. R. (1995). Effect of higher order aberrations on image quality in the human eye. *OSA Technical Digest Series (Vision Science and Its Applications)*, **1**, 70-73.
- Liang, J. & Williams, D. R. (1997). Aberrations and retinal image quality of the normal human eye. *J Opt Soc Am A*, **14**, 2873-83.
- Liang, J., Williams, D. R. & Miller, D. T. (1997). Supernormal vision and high-resolution retinal imaging through adaptive optics. *J Opt Soc Am A*, **14**, 2884-92.
- Liou, H. & Brennan, N. (1996). The prediction of spherical aberration with schematic eyes. *Ophthal Physiol Opt*, **16**, 348-54.
- Lotmar, W. (1971). Theoretical Eye Model with Aspherics. *J Opt Soc Am*, **61**, 1522-9.
- Lundergan, M. (1992). The Corneoscope-Comparator Method of Hard Contact Lens Fitting. In Schanzlin, D., & Robin, J. (Ed.), *Corneal Topography Measuring and Modifying the Cornea* (pp. 117-28). New York: Springer-Verlag.
- Maguire, L., Camp, J. & Robb, R. (1993). A Raytracing Method to Compare Image Quality Before and After Keratorefractive Surgery. *Invest Ophthalmol Vis Sci*, **34**, 805.
- Maguire, L. J. (1994). Keratorefractive Surgery, Success, and the Public Health. *Am J Ophthalmol*, **117**, 394-398.
- Maguire, L. J., Singer, D. E. & Klyce, S. D. (1987). Graphic presentation of computer-analyzed keratoscope photograph. *Arch Ophthalmol*, **105**, 223-230.
- Maguire, L. J., Zabel, R. W., Parker, P. & L, L. R. (1991). Topography and raytracing analysis of patients with excellent visual acuity 3 months after excimer laser photorefractive keratectomy for myopia. *Refr Corneal Surg*, **7**,

122-128.

Mahahan, V. (1994). Zernike Circle Polynomials and Optical Aberrations of Systems with Circular Pupils. *Engineering & Laboratory Notes in Optics and Photonics News*, **5**, s-21 - 24.

Malacara, D. (1992). *Optical Shop Testing* (2nd ed.) New York: John Wiley and Sons, Inc.

Mandell, R. (1960). Jesse Ramsden: inventor of the ophthalmometer. *Am J Optom Arch Am Acad Optom*, **37**, 633-8.

Mandell, R. (1994a). Apparent Pupil Displacement in Videokeratography. *CLAO J*, **20**, 123-7.

Mandell, R. (1994b). Comment: Inherent Error in Corneal Topography/Roberts. *J Refract Corneal Surg*, **10**, 112.

Mandell, R. (1995). Locating the Corneal Sighting Center From Videokeratography. *J Refr Surg*, **11**, 253-9.

Mandell, R., Barsky, B. & Klein, S. (1994). Taking A New Angle On Keratoconus. *CL Spectrum*, **9**, 44-47.

Mandell, R., Chiang, C. & Klein, S. (1995). Location of the Major Corneal Reference Points. *Optom Vis Sci*, **72**, 776-784.

Mandell, R. & Horner, D. (1993). Alignment of Videokeratoscopes. In Sanders, D., & Kock, D. (Ed.), *An Atlas of Corneal Topography* (pp. 197-204). Thorofare, NJ: SLACK Incorporated.

Mandell, R., Klein, S. & Corzine, J. (1998). The Cornea is Not an Ellipse. *Optom Vis Sci*, **75**, 12s:156.

Mandell, R. B. (1992). The enigma of the corneal contour. *CLAO J*, **18**, 267-73.

Mandell, R. B. & St Helen, R. (1971). Mathematical Model of the Corneal Contour. *Br. J. Physiol. Opt.*, **26**, 183-195.

Martinez, C., Applegate, R., Howland, H., Klyce, S., MacDonald, M. & Medina, J. (1996). Changes in Corneal Aberration Structure after Photorefractive Keratectomy. *Invest Ophthalmol Vis Sci*, **37**, S933.

- Matthews, L. & Garcia, G. (1995a). *Laser and Eye Safety in the Laboratory* Bellingham, Washington: IEEE Press.
- Mattioli, R. & Tripoli, N. (1997). Corneal Geometry Reconstruction with the Keratometer Videokeratographer. *Optom Vis Sci*, **74**, 881-894.
- Miller, D. T., Williams, D. R., Morris, G. M. & Liang, J. Z. (1996). Images of cone photoreceptors in the living human eye. *Vision Res*, **36**, 1067-1079.
- Millodot, M. & Sivak, J. (1979). Contribution of the Cornea and Lens to the Spherical Aberration of the Eye. *Vis Res*, **19**, 685-7.
- Mote, H. & Fry, G. (1939). The Significance of Javal's Rule. *Am J Optom*, **16**, 362-365.
- Navarro, R. & Artal, P. (1993). Modulation transfer of the human eye as a function of retinal eccentricity. *J Opt Soc Am A*, **10**, 201-12.
- Navarro, R. & Losada, M. A. (1995). Phase transfer and point-spread function of the human eye determined by a new asymmetric double-pass method. *J Opt Soc Am A*, **12**, 2385-92.
- Oliver, K., Hemenger, R., Corbett, M. & al., e. (1997). Corneal aberrations induced by photorefractive keratectomy. *J Refract Surg*, **13**, 246-254.
- Oliver, K., Hemenger, R., Corbett, M., O'Bart, D., Verma, S., Tomlinson, A. & Marshall, J. (1995). Corneal Aberrations One Year After Photorefractive Keratectomy for Three Types of Ablation Zone. *Optom Vis Sci (supplement)*, **72**, 183.
- Oshika, T., Klyce, S. D., Applegate, R. A., Howland, H. C. & El Danasoury, M. A. (1999). Comparison of corneal wavefront aberrations after photorefractive keratectomy and laser in situ keratomileusis. *American Journal of Ophthalmology*, **127**, 1-7.
- Pole, J. J. & Sather, S. K. (1995). Computer-assisted videography and the aspheric RGP. *CL Spectrum*, **10**, 17-26.
- Rand, R., Howland, H. & Applegate, R. (1997). Mathematical Model of a Placido Disk Keratometer and Its Implications for Recovery of Corneal Topography. *Optom Vis Sci*, **74**, 926-930.

- Reynolds, A. (1992). Introduction: History of Corneal Measurement. In Schanzlin, D., & Robin, J. (Ed.), *Corneal Topography Measuring and Modifying the Cornea* (pp. vii-x). New York: Springer-Verlag.
- Roberts, C. (1994a). The accuracy of 'power' maps to display curvature data in corneal topography systems. *Invest Ophthalmol Visual Sci*, **35**, 3525-3532.
- Roberts, C. (1994b). Characterization of the Inherent Error in a Spherically-Biased Corneal Topography System in Mapping a Radially Aspheric Surface. *J Refrac Corneal Surg*, **10**, 103-111.
- Russ, J. (1995). Processing images in frequency space. In *The image processing handbook* (pp. 332-341). Boca Raton: CRC Press.
- Saleh, B. & Teich, M. (1991). *Fundamentals of Photonics* New York: John Wiley & Sons, Inc.
- Salmon, T. & Horner, D. (1995). Comparison of Elevation, Curvature and Power Descriptors for Corneal Topographic Mapping. *Optom Vis Sci*, **72**, 800-8.
- Salmon, T. & Horner, D. (1996). A new subjective refraction method—the meridional polarized vernier optometer. *J Am Opt Assoc*, **67**, 599-605.
- Salmon, T., Rash, C. & Mora, J. (1998). Videokeratoscopic Accuracy and its Potential Use in Corneal Optics Research (USAARL Report 98-29). US Army Aeromedical Research Laboratory.
- Salmon, T., Thibos, L. & Bradley, A. (1998). Comparison of the eye's wave-front aberration measured psychophysically and with the Shack-Hartmann wave-front sensor. *J Opt Soc Am A*, **15**, 2457-2465.
- Santamaria, J., Artal, P. & Bescos, J. (1987). Determination of the point-spread function of human eyes using a hybrid optical-digital method. *J Opt Soc Am A*, **4**, 1109-14.
- Schwiegerling J & Greivenkamp, J. E. (1997). Using Corneal Height Maps and Polynomial Decomposition to Determine Corneal Aberrations. *Optom Vis Sci*, **74**, 906-916.
- Schwiegerling, J., Greivenkamp, J. & Miller, J. (1995). Representation of videokeratoscopic height data with

- Zernike polynomials. *J Opt Soc Am A*, **12**, 2105-2113.
- Schwiegerling, J., Greivenkamp, J. E., Miller, J. M., Snyder, R. W. & Palmer, M. L. (1996). Optical modeling of radial keratotomy incision patterns. *Am J Ophthalmol*, **122**, 808-817.
- Schwiegerling, J. & Greivenkamp, J. (1996). Keratoconus Detection Based on Videokeratoscopic Height Data. *Optom Vis Sci*, **73**, 721-28.
- Schwiegerling, J. & Snyder, R. (1998). Custom photorefractive keratectomy ablations for the correction of spherical and cylindrical refractive error and higher order aberration. *J Opt Soc Am A*, **15**, 2572-2579.
- Seiler, T., Reckmann, W. & Maloney, R. (1993). Effective spherical aberration of the cornea as a qualitative descriptor in corneal topography. *J Cataract Refr Surgery*, **19**, 155-65.
- Seitz, B., Langenbucher, A., Kus, M. M. & Harrer, M. (1998). Experimental correction of irregular corneal astigmatism using topography-based flying-spot-mode excimer laser photoablation. *American Journal of Ophthalmology*, **125**, 252-256.
- Simonet, P. & Campbell, M. (1990). The transverse chromatic aberration on the fovea of the human eye. *Vision Res*, **30**, 187-206.
- Sliney, D. & Wolbarsht (1981). *Safety with Lasers and Other Optical Sources* New York: Plenum Press.
- Smirnov, M. S. (1961). Measurement of the wave aberration of the human eye. *Biofizika*, **6**, 687-703.
- Smith, W. (1990). *Modern optical engineering* New York: McGraw-Hill, Inc.
- Stein, H., Cheskes, A. & Stein, R. (1995). *The excimer - fundamentals and clinical use* Thorofare, NJ: SLACK Incorporated.
- Thibos, L. (1987). Calculation of the influence of lateral chromatic aberration on image quality across the visual field. *J Opt Soc Am A*, **4**, 1673-80.
- Thibos, L. (1992). The chromatic eye: a new reduced-eye model of ocular chromatic aberration in humans. *Appl*

Optics, **31**, 3594-600.

Thibos, L. (1993). *Fourier Analysis for Beginners - Course notes for V791: Quantitative Methods for Vision Research* Bloomington, Indiana: School of Optometry, Indiana University.

Thibos, L. (1997). The New Visual Optics. *Optom Vis Sci*, **74**, 465-6.

Thibos, L. (1999). Handbook of Visual Optics. Optical Society of America web page, www.aaopt.org/HVO/Handbook_NF.html:

Thibos, L. & Bradley, A. (1997). Use of Liquid-Crystal Adaptive-Optics to Alter the Refractive State of the Eye. *Optom Vis Sci*, **74**, 581-587.

Thibos, L., Wheeler, W. & Horner, D. (1997a). Power Vectors: An Application of Fourier Analysis to the Description and Statistical Analysis of Refractive Error. *Optom Vis Sci*, **74**, 367-375.

Thibos, L., Ye, M., Zhang, X. & Bradley, A. (1997b). Spherical Aberrations of the Reduced Schematic Eye with Elliptical Refracting Surface. *Optom Vis Sci*, **74**, 548-556.

Thibos, L. N., Bradley, A., Still, D. L., Zhang, X. & Howarth, P. A. (1990). Theory and measurement of ocular chromatic aberration. *Vision Res*, **30**, 33-49.

Tomlinson, A., Hemenger, R. & Garriott, R. (1993). Method for Estimating the Spherical Aberration of the Human Crystalline Lens in Vivo. *Invest Ophthalmol Vis Sci*, **34**, 621-629.

Tripoli, N., Cohen, K., Holmgren, D. & Coggins, J. (1995). Assessment of Radial Aspheres by the Arc-Step Algorithm as Implemented by the Keratron Keratoscope. *Am J Ophthalmol*, **120**, 658-64.

Tscherning, M. (1894). Die monochromatischen Aberrationen des menschlichen Auges. *Zeitschrift fuer Psychologie und Physiologie der Sinnesorgane*, **6**, 456-71.

van Blokland, G. & van Norren, D. (1986). Intensity and polarization of light scattered at small angles from the human fovea. *Vis Res*, **26**, 485-494.

- van Meeteren, A. (1974). Calculations on the optical transfer function of the human eye for white light. *Opt Acta*, **21**, 395-412.
- van Meeteren, A. & Dunnewold, C. J. W. (1983). Image quality of the human eye for eccentric entrance pupils. *Vision Res*, **23**, 573-9.
- van Saarloos, P. P. & Constable, I. J. (1991). Improved method for calculation of corneal topography for any photokeratographic geometry. *Optom and Vis Sci*, **68**, 957-965.
- Vargas-Martin, F., Prieto, P. & Artal, P. (1998). Correction of the aberrations in the human eye with a liquid-crystal spatial light modulator: limits to performance. *J Opt Soc Am A*, **15**, 2552-2562.
- Verdon, W., Bullimore, M. & Maloney, R. K. (1996). Visual performance after photorefractive keratectomy: A prospective study. *Arch Ophthalmol*, **114**, 1465-1472.
- Walsh, G., Charman, W. N. & Howland, H. C. (1984). Objective technique for the determination of monochromatic aberrations of the human eye. *J Opt Soc Am A*, **1**, 987-92.
- Walsh, G. & Cox, M. (1995). A new computerized video-aberroscope for the determination of the aberration of the human eye. *Ophthal Physiol Opt*, **15**, 403-408.
- Wang, J., Rice, D. & Klyce, S. (1989). A new reconstruction algorithm for improvement of corneal topographical analysis. *Refract Corneal Surg*, **5**, 379-87.
- Wang, J. & Silva, D. (1980). Wave-front interpretation with Zernike polynomials. *Appl Opt*, **19**, 1510-18.
- Washington, A. (1986). *Technical Calculus with Analytic Geometry* (3rd ed.) Menlo Park, California: The Benjamin/Cummings Publishing Company.
- Webb, R. (1992). Zernike polynomial description of ophthalmic surfaces. *OSA Technical Digest Series (Ophthalmic and Visual Optics)*, **3**, 38-41.
- Webb, R. H., Penney, C. M. & Thompson, K. P. (1992). Measurement of ocular local wavefront distortion with a spatially resolved refractometer. *Appl Opt*, **31**, 3678-86.

- Welford, W. (1986). Wavefront aberrations, transverse ray aberrations and characteristic functions. In *Aberrations of Optical Systems* (pp. 93-98). Bristol: Adam Hilger.
- Westheimer, G. (1963). Optical and motor factors in the formation of the retinal image. *J Opt Soc Am*, **53**, 86-93.
- Westheimer, G. & Liang, J. (1994). Evaluating Diffusion of Light in the Eye by Objective Means. *Invest Ophthalmol Vis Sci*, **35**, 2652-2657.
- Williams, C. & Becklund, O. (1989). *Introduction to the optical transfer function* New York: John Wiley & Sons.
- Williams, D. R., Brainard, D. H., McMahon, M. J. & Navarro, R. (1994). Double pass and interferometric measures of the optical quality of the eye. *J Opt Soc Am A*, **11**, 3123-35.
- Woods, R., Bradley, A. & Atchison, D. (1996). Monocular diplopia caused by ocular aberrations and hyperopic defocus. *Vision Res*, **36**, 3597-3606.
- Wu, C. (1997). Supernormal Vision. *Science News*, **152**, 305-320.
- Yolton, R., Citek, K., Schmeisser, E., Reichow, A. & Griffith, T. (1999). Laser pointers: toys, nuisances, or significant eye hazards? *J Am Optom Assoc*, **70**, 285-289.
- Young, T. (1801). On the mechanism of the eye. *Phil Trans R Soc*, **19**, 23-88.